# 1200L Water Immersion Test Equipment , IPX7 Rain Tester Move Up And Down

### **Basic Information**

Place of Origin: Guangdong , China

• Brand Name: YueXin

• Certification: ISO 20653:2013, DIN 40050-9:1993,

IEC60529:2013

Model Number: YX-IPX7BS-1200L

Minimum Order Quantity: 1 pcs

Price: usd+20000-50000+pcsPackaging Details: wooden box package

• Delivery Time: 30-45 days

Payment Terms: T/T

• Supply Ability: 100+pcs+30



# **Product Specification**

• Outer Dimension: Approx W 1160×D1100×H 2400 (mm)

Material: 304 Stainless SteelExperimental Scenarios: Immersion Environment

Volume: About 1200LGlass Material: Toughened Glass

Goods Name: IPX7 Test Equipment , Waterproof Test

Chambei

• Highlight: 1200L Water Immersion Test Equipment,

Rain Tester Move Up And Down,

**IPX7 Rain Tester** 



#### **Product Description**

#### 1200L Water Immersion Test Device, IPX7 Rain Tester move up and down

#### Product introduction:

Compared with the conventional IPX7 immersion soaking test chamber, this product is equipped with a lifting device, and stainless steel sample baskets can be customized according to different needs, greatly reducing the cost of manual handling.

The water tank is made of 304 stainless steel, which is firm and durable.

The double-layer structure is adopted, and the inner layer is welded with reinforcing ribs to ensure the reliability of the water tank.

There is a lifting device on the top of the water tank, which is convenient for users to lift and place samples.

The stainless steel sample basket can be customized according to the size of the user's sample (the size should be confirmed by both parties in advance).

The external toughened glass window is convenient for users to observe the test situation.

There is a stainless steel ruler attached to the outside of the box, which can visually see the current water level.

Universal casters are mounted on the bottom, which has good load-bearing and easy to move and fix the equipment.

#### The main Technical data:

Item	Specification
Water depth range	0-1100mm
Water level display mode	Steel ruler, horizontal visual
Steel Ruler Accuracy	1mm
Window size	Approx W200×H1100mm
Window thickness	12mm
Outer diameter of inlet pipe	Ø 28mm
Sample basket load	50kg
Test time <sup>5</sup>	30min
Water level adjustment method	Manual adjustment valve
Power	700W

#### Installation requirements:

Aisle: Before the equipment enters the factory, please confirm that the space in the aisle, elevator, laboratory, etc. of the factory area is sufficient for the equipment to pass through.

Water source: Please prepare clean water source(The manufacturer distributes a 6-meter water pipe with an inner diameter of 15mm).

Power supply:220V/50HZ, 700w, please check whether it is compatible.

Site space:≥W1600×D1800×2800mm

The laboratory needs to have drains or floor drains and have ventilation conditions.

#### Remark:

- 1 The pictures in this document are for customer reference only, and there may be color differences between the actual model and the pictures.
- 2 This document only lists some test standards, which does not mean that other test requirements and standards cannot be conducted. Welcome to communicate and discuss with us.
- 3 The water tank only meets the immersion test within 1.1 meters and cannot be pressurized. If the user needs a higher depth test, IPX8 test equipment can be selected.
- 4 Before the test, the user needs to lift the sample into the sample hanging basket in advance, and then perform the lifting operation through the handle
- 5 This device does not have a reminder function, and the test time is controlled by the user; if it is necessary to add timing and alarm functions, it needs to be negotiated in advance.
- 6 The photos may not match the actual ones, and are for user reference only.

## Product detail drawing:



inlet and outlet

Tags: Water immersion test equipment ,IPX7 immersion testing machine ,IPX7 waterproof immersion soaking test

# YUEXIN® Guangzhou Yuexin Test Equipment Co., Ltd.



18122303372



mft@yxipx.com



raintestchambers.com

101, No.3, Jiangjunzi Road, Dalong Street, Panyu District, Guangzhou City China