

192L Immersion Test Chamber for IPX7 , Firm Water Immersion Testing Machine

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
 - Time: 30-45 days t Terms: T/T
- Payment Terms:
- Supply Ability:



Product Specification

Product Name: Immersion Soaking Test Chamber, Water Immersion Test Machine • IP Grade: IPX7 About 192L Volume: • Experimental Scenarios: Immersion Environment 304 Stainless Steel Material: • Immersion Depths: ≤1.1 Meters • Observation Window: **Toughened Glass** • Water Level Display Mode: Steel Ruler • Highlight: ipx7 water immersion test chamber,

equipment

Guangdong, China

IEC60529:2013

YX-IPX7B-192L

100+pcs+30

usd+20000-50000+pcs

wooden box package

ISO 20653:2013, DIN 40050-9:1993,

YueXin

1 pcs



More Images





stainless steel water immersion test chamber, stainless steel ipx7-8 water immersion test

192L Immersion Test Chamber for IPX7 , Firm Water Immersion Testing Machine

Generl specifications:

Outline size: L560*W460*H1300; Within size: L400*W400*H1200

Product features:

The main advantage of this product is its stainless steel outer shell. On the front, there's a toughened glass window that keeps the tester solid and lets you see clearly inside.

The chassis is made of 304 stainless steel, which is firm and durable. Not only the double-layer structure is adopted but also the inner layer is welded with reinforcing ribs to ensure the reliability of the water tank. There is a stainless steel hook welded on the inside of the box, which is convenient for users to bind ropes and assist in lifting and placing test samples.

The external toughened glass window is convenient for users to observe the test situation. There is a stainless steel ruler attached to the outside of the box, which can visually see the current water level.

Universal casters are mounted on the bottom, which has good load-bearing and easy to move and fix the equipment.

The main technical parameters :

Item	Specification
Water depth range	0-1100mm
Water level display mode	Steel ruler, horizontal visual
Steel ruler accuracy	1mm
Window size	Approx W150×H1100mm
Window thickness	8mm
Outer diameter of inlet pipe	Ø 28mm
Water level adjustment method	Manual adjustment valve

Application:

The IPX7 water immersion testing apparatus boasts vast potential for application and immense worth across diverse sectors, encompassing electronics, electrical appliances, automotive components, and beyond. Moreover, it possesses remarkable resilience against substantial water pressure and impacts, thereby guaranteeing the safety and reliability of equipment subjected to underwater testing.

Installation requirements:

Aisle: Before the equipment enters the factory, please confirm that the space in the aisle, elevator, laboratory, etc. of the factory area is sufficient for the equipment to pass through.

Water source: Please prepare clean water source(The manufacturer distributes a 6-meter water pipe with an inner diameter of 15mm). Site space: >W900xD1080x2000mm

The laboratory needs to have drains or floor drains and have ventilation conditions.

Remark:

1 The pictures in this document are for customer reference only, and there may be color differences between the actual model and the pictures. 2 This document only lists some test standards, which does not mean that other test requirements and standards cannot be conducted. Welcome to communicate and discuss with us.

3 The water tank only meets the immersion test within 1.1 meters and cannot be pressurized. If the user needs a higher depth test, IPX8 test equipment can be selected.

4 The photos may not match the actual ones, and are for user reference only.

Product detail images:



