

Guangdong, China

IEC60529:2013

YX-IPX7B-768L

usd+20000-50000+pcs

wooden box package

ISO 20653:2013, DIN 40050-9:1993,

YueXin

1 pcs

T/T

30-45 days

100+pcs+30

Visible 768L Water Immersion Test Chamber, Rain Test Machine for IPX7

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
-
- Model Number:
- Minimum Order Quantity:
- Price:
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:



Product Specification

• Material:	304 Stainless Steel
 Immersion Depths: 	≤1.1 Meters
• IP Grade:	IPX7
 Service Scenarios: 	Immersion Environment
• Water Level Display Mode:	Steel Ruler
• Volume:	About 768L
Observation Window:	Toughened Glass
Brand Name:	Immersion Soaking Test Chamber , Water Immersion Test Machine
Highlight:	768I water immersion test chamber, 768I water immersion test equipment,



More Images





ipx7 water immersion test chamber

Visible 768L Water Immersion Test Chamber, Rain Test Machine for IPX7

Generl specifications:

Outline size: L960*W860*H1300; Within size: L800*W800*H1200

Standard features:

The biggest feature of this product is its durable stainless steel cover. There's a tough glass window on the front that keeps the tester solid and

gives a clear view inside.

The chassis is made of 304 stainless steel, which is firm and durable. Not only the double-layer structure is adopted but also the inner layer is welded with reinforcing ribs to ensure the reliability of the water tank. There is a stainless steel hook welded on the inside of the box, which is convenient for users to bind ropes and assist in lifting and placing test samples. The external toughened glass window is convenient for users to observe the test situation. There is a stainless steel ruler attached to the outside of the box, which can visually see the current water level.

Universal casters are mounted on the bottom, which has good load-bearing and easy to move and fix the equipment.

The main technical parameters :

Item	Data
Water depth range	0-1100mm
Water level display mode	Steel ruler, horizontal visual
Steel ruler accuracy	1mm
Window size	Approx W150×H1100mm
Window thickness	8mm
Outer diameter of inlet pipe	Ø 28mm

Application:

The versatility and significant value of the IPX7 water immersion evaluation equipment are evident across a broad spectrum of sectors, from electronics and electrical appliances to automotive components and beyond. Additionally, its ability to withstand substantial aquatic pressures and impacts underpins the safety and dependability of equipment tested in underwater environments.

Installation requirements:

Aisle: Before the equipment enters the factory, please confirm that the space in the aisle, elevator, laboratory, etc. of the factory area is sufficient for the equipment to pass through.

Water source: Please prepare clean water source(The manufacturer distributes a 6-meter water pipe with an inner diameter of 15mm).

Site space: ≥W900×D1080×2000mm

The laboratory needs to have drains or floor drains and have ventilation conditions.

Announcement:

1 The pictures in this document are for customer reference only, and there may be color differences between the actual model and the pictures.

2 This document only lists some test standards, which does not mean that other test requirements and standards cannot be conducted. Welcome to communicate and discuss with us.

3 The water tank only meets the immersion test within 1.1 meters and cannot be pressurized. If the user needs a higher depth test, IPX8 test equipment can be selected.

4 The photos may not match the actual ones, and are for user reference only.

Product detail picture:



