

## 1mm Accuracy Steel Ruler IPX8 Water Immersion Tank With PLC And Touch Screen Control System

Our Product Introduction

for more products please visit us on [raintestchambers.com](http://raintestchambers.com)

### Basic Information

- Place of Origin: Guangdong, China
- Brand Name: YUEXIN
- Certification: ISO 20653,DIN 40050,IEC 60529
- Model Number: YX-IPX8-10A-500L
- Minimum Order Quantity: 1 Pcs
- Price: Usd+20000-50000+pcs
- Packaging Details: Wooden Box Package
- Delivery Time: 30-45 Days
- Payment Terms: T/T
- Supply Ability: 100+pcs+30



### Product Specification

- Warranty: 1 Year
- Experimental Scenarios: Immersion Environment
- Product Title: IPX78 Water Immersion Test Chamber
- Control System: PLC And Touch Screen
- Steel Ruler Accuracy: 1mm
- Controller: Touch Screen
- Material: Stainless Steel
- Operating Scenarios: Immersion Environment
- Type: Button Type
- Highlight: PLC Water Immersion Tank,  
IPX8 Water Immersion Tank,  
Touch Screen Water Immersion Tank



### More Images



## Product Description

### 1mm Accuracy Steel Ruler IPX8 Water Immersion Tank with PLC and Touch Screen Control System

#### Product Description:

The control system of the IPX78 Water Immersion Test Chamber is user-friendly and efficient, with a touch screen controller that allows for easy operation and monitoring of test parameters. The touchscreen interface makes it simple to input test settings and view real-time data during the immersion test process.

Compliant with international standards such as IEC 60529, GB 4208, and ISO20653, this water immersion test equipment ensures that your testing meets the required industry regulations and specifications. The IPX78 Water Immersion Test Chamber is built to deliver consistent and precise testing results, making it a reliable choice for immersion environment testing.

Operating in immersion scenarios, this immersion test chamber provides a controlled environment for conducting immersion tests on products to assess their resistance to water ingress. Whether you are testing the water resistance of electronic devices, outdoor equipment, or industrial machinery, the IPX78 Water Immersion Test Chamber offers the ideal solution for your testing needs.

Featuring a PLC and touch screen control system, the IPX78 Water Immersion Test Chamber offers advanced functionality and flexibility for conducting immersion tests with ease. The PLC system ensures accurate control of test parameters, while the touch screen interface provides a user-friendly experience for operators.

With the IPX78 Water Immersion Test Chamber, you can perform immersion tests with confidence, knowing that your equipment is designed to meet the highest standards of quality and performance. Whether you are a testing laboratory, manufacturing facility, or research institution, this immersion test chamber is an essential tool for evaluating the water resistance of your products.

#### Features:

Product Name: IPX7-8 Water Immersion Test Equipment

Control System: PLC And Touch Screen

Standard: IEC 60529, GB 4208, ISO20653

Steel Ruler Accuracy: 1mm

Warranty: 1 Year

Operating Scenarios: Immersion Environment

#### Technical Parameters:

Controller	Touch Screen
Steel Ruler Accuracy	1mm
Control System	PLC And Touch Screen
Product Title	IPX78 Water Immersion Test Chamber
Standard	IEC 60529, GB 4208, ISO20653
Experimental Scenarios	Immersion Environment
Material	Stainless Steel
Warranty	1 Year
Operating Scenarios	Immersion Environment

#### Product details:



cylinder



lid

## Applications:

Yuexin IPX78 Water Immersion Test Chamber is a versatile and reliable product designed for conducting immersion soaking tests in various scenarios. This product, originating from China, is built with high-quality materials and adheres to international standards such as ISO 20653, DIN 40050, and IEC 60529.

The IPX78 Water Immersion Test Chamber is suitable for a wide range of product application occasions. It can be used in research laboratories, quality control departments, manufacturing facilities, and product development centers. This chamber is ideal for testing the water resistance of electronic devices, outdoor equipment, automotive components, and other products that require IPX8 waterproof certification.

With a minimum order quantity of 1 piece and a price range of USD 20,000 to USD 50,000 per piece, the Yuexin IPX78 Water Immersion Test Chamber offers great value for money. The packaging details include a sturdy wooden box package to ensure safe transportation and delivery.

Customers can expect a delivery time of 30 to 45 days after placing an order, with payment terms being T/T. The supply ability of this immersion soaking test chamber is over 100 pieces every 30 days, making it readily available for various experimental scenarios.

Equipped with a PLC and touch screen control system, the IPX78 Water Immersion Test Chamber provides ease of operation and accurate testing results. It comes with a 1-year warranty and complies with standards such as IEC 60529, GB 4208, and ISO 20653.

Whether you are testing consumer electronics, industrial machinery, or outdoor products, the Yuexin IPX78 Water Immersion Test Chamber is a reliable and efficient solution for your immersion testing needs. Invest in this IPX8 waterproof chamber to ensure the durability and quality of your products in challenging environmental conditions.

## Customization:

Product Customization Services for the IPX7-8 Water Immersion Test Equipment:

Brand Name: Yuexin

Place Of Origin: China

Certification: ISO 20653, DIN 40050, IEC 60529

Minimum Order Quantity: 1 Pcs

Price: Usd+20000-50000+pcs

Packaging Details: Wooden Box Package

Delivery Time: 30-45 Days

Payment Terms: T/T

Supply Ability: 100+pcs+30

Standard: IEC 60529, GB 4208, ISO20653

Warranty: 1 Year

Material: Stainless Steel  
Steel Ruler Accuracy: 1mm  
Control System: PLC And Touch Screen

## About us:



**YUEXIN** 品信 Guangzhou Yuexin Test Equipment Co., Ltd.

18122303372 mft@yxipx.com raintestchambers.com

101, No.3, Jiangjunzi Road, Dalong Street, Panyu District, Guangzhou City China

