

IPX1-2 Rainfall Test Equipment for Durable Performance and Accurate Results

Our Product Introduction

for more products please visit us on raintestchambers.com

Basic Information

- Brand Name: YUEXIN
- Certification: ISO 20653:2013, DIN 40050-9:1993, IEC60529:2013, VW 80000:2017
- Model Number: YX-IPX12A-1000
- Minimum Order Quantity: 1 Piece
- Price: Usd+20000-50000+pcs
- Packaging Details: Wooden Box Package
- Delivery Time: 30-45 Days
- Payment Terms: T/T
- Supply Ability: 100+pcs+30



Product Specification

- Power Supply: AC 220V, 50Hz
- Test Time: 10 Minutes
- Material: Stainless Steel
- Test Standard: IEC 60529
- Turntable Tilt: 0° or 15°
- Display: Touch Screen
- Control System: PLC
- Ip Grade: IPX12
- Highlight: Accurate Results Rainfall Test Equipment, Durable Performance Rainfall Test Equipment, IPX1-2 Rainfall Test Equipment



More Images



Product Description

IPX1-2 Rainfall Test Equipment Turntable Stainless Steel for Durable Performance :

Product Description:

The IPX1-2 Water Drip Test Equipment, also known as the IPX1-2 Water Immersion Test Apparatus, is a sophisticated testing device designed to assess the ingress protection of electronic and electrical products against water drips and splashes. This apparatus is specifically engineered to comply with the IEC 60529 standard, ensuring accurate and reliable testing results.

Featuring a durable construction made of high-quality stainless steel, the IPX1-2 Dripping Test Apparatus is built to withstand rigorous testing environments and provide long-lasting performance. The stainless steel material ensures corrosion resistance and structural integrity, making it a reliable choice for testing facilities and quality control laboratories.

One of the key attributes of the IPX1-2 Water Drip Test Equipment is its precise test parameters. With a test time of 10 minutes and a drip volume of 1mm/min, this apparatus allows for consistent and standardized testing procedures. The controlled drip rate ensures that products are subjected to a realistic simulation of water exposure, enabling manufacturers to evaluate the effectiveness of their products' ingress protection.

The IPX1-2 Drip Protection Test Device is equipped with a user-friendly touch screen display, providing operators with intuitive control over the testing process. The touch screen interface allows for easy navigation of settings and parameters, enhancing the overall user

Our Product Introduction

experience and ensuring efficient operation of the testing equipment.

In conclusion, the IPX1-2 Water Drip Test Equipment is a reliable and efficient testing solution for assessing the water ingress protection capabilities of electronic and electrical products. With its adherence to the IEC 60529 standard, durable stainless steel construction, precise test parameters, and user-friendly touch screen display, this apparatus offers a comprehensive solution for quality control and compliance testing requirements.

Features:

Product Name: IPX1-2 Water Drip Test Equipment

Drip Volume: 1mm/min

Display: Touch Screen

Turntable Tilt: 0° or 15°


Test Standard: IEC 60529

Material: Stainless Steel

Product Details:



waterproof socket



circuit board

Technical Parameters:

Distance Between Nozzles	20mm
Control System	PLC
IP Grade	IPX12
Turntable Tilt	0° or 15°
Test Method	Drip Test
Power Supply	AC 220V, 50Hz
Display	Touch Screen
Test Time	10 Minutes
Test Standard	IEC 60529
Drip Volume	1mm/min

Applications:

The YUEXIN IPX1-2 Drip Protection Test Device is a versatile testing equipment designed for conducting IPX1-2 dripping tests in various scenarios. Originating from Guangdong, China, this product is certified with ISO 20653:2013, DIN 40050-9:1993, IEC60529:2013, and VW 80000:2017 standards, ensuring its quality and reliability.

With a minimum order quantity of 1 piece and a price range of USD 20000-50000+pcs, the YUEXIN IPX1-2 Dripping Test Apparatus is an ideal choice for laboratories, manufacturing facilities, and research institutions seeking to perform IPX1-2 tests. The equipment is delivered in a secure wooden box package within 30-45 days, offering convenience and protection during transit.

Payment terms for the IPX1-2 Dripping Test Apparatus are flexible, accepting T/T transactions. The supply ability of 100+pcs+30 ensures that customers can procure the equipment in a timely manner to meet their testing requirements.

The YUEXIN IPX1-2 Dripping Test Apparatus utilizes a drip volume of 1mm/min and a test time of 10 minutes, allowing for accurate and efficient testing procedures. The control system of the equipment is PLC-based, enabling precise control and monitoring of the testing parameters.

With an IP grade of IPX12, this testing equipment is suitable for a wide range of product application occasions and scenarios. Whether testing electronic devices, lighting fixtures, or outdoor equipment, the IPX1-2 Dripping Test Apparatus offers comprehensive testing capabilities to ensure product quality and durability.

Customization:


Product Customization Services for IPX1-2 Water Drip Test Equipment:

- Brand Name: YUEXIN

- Place Of Origin: Guangdong, China
- Certification: ISO 20653:2013, DIN 40050-9:1993, IEC60529:2013, VW 80000:2017
- Minimum Order Quantity: 1 Piece
- Price: USD 20000-50000+pcs
- Packaging Details: Wooden Box Package
- Delivery Time: 30-45 Days
- Payment Terms: T/T
- Supply Ability: 100+pcs+30
- Test Method: Drip Test
- IP Grade: IPX12
- Power Supply: AC 220V, 50Hz
- Drip Volume: 1mm/min
- Test Time: 10 Minutes

Product Attributes: IPX1-2 Dripping Test Apparatus, IPX1-2 Rainfall Test Equipment, IPX1-2 Waterproof Drip Testing Machine

About us:



YUEXIN® Guangzhou Yuexin Test Equipment Co., Ltd.

☎ 18122303372 ✉ mft@yxipx.com 🌐 raintestchambers.com

101, No.3, Jiangjunzi Road, Dalong Street, Panyu District, Guangzhou City China