

## 10 Minutes Test Time IPX1-2 Water Drip Test Equipment With 20mm Nozzle Distance

Our Product Introduction

for more products please visit us on [raintestchambers.com](http://raintestchambers.com)

### Basic Information

- Place of Origin: Guangdong China
- Brand Name: YUEXIN
- Certification: ISO 20653:2013, DIN 40050-9:1993, IEC60529:2013, VW 80000:2017
- Model Number: YX-IPX12A-1200
- Minimum Order Quantity: 1 Piece
- Price: Usd+20000-50000+pcs
- Packaging Details: Wooden Box Package
- Delivery Time: 30-45 Days
- Payment Terms: T/T
- Supply Ability: 100+pcs+30




### Product Specification

- Distance Between Nozzles: 20mm
- Ip Grade: IPX12
- Turntable Tilt: 0° or 15°
- Drip Volume: 1mm/min
- Test Time: 10 Minutes
- Test Method: Drip Test
- Material: Stainless Steel
- Test Standard: IEC 60529
- Highlight: **IPX1-2 Water Drip Test Equipment, 20mm Nozzle Water Drip Test Equipment**



### More Images



### Product Description

#### IPX1-2 Water Drip Test Equipment with 1mm/min Drip Volume:

#### Product Description:

The IPX1-2 Dripping Test Apparatus is a specialized equipment designed to test the resistance of products to water ingress according to the IPX1 and IPX2 standards outlined in IEC 60529. This Water Drip Environmental Chamber is an essential tool for manufacturers, quality control labs, and research facilities to ensure the durability and reliability of their products under different water exposure scenarios.

Our Product Introduction

With a robust construction and precise engineering, the IPX1-2 Dripping Test Apparatus provides a controlled environment for conducting accurate and repeatable tests. The equipment is equipped with a Touch Screen display that allows users to easily set up test parameters, monitor the progress of the test, and view the results in real-time. Operating on a power supply of AC 220V, 50Hz, this Water Drip Environmental Chamber is suitable for various testing facilities and can be seamlessly integrated into existing laboratory setups. The test time for each cycle is set at 10 minutes, ensuring efficient testing procedures and quick evaluation of the product's performance.

Manufactured to meet the stringent requirements of IPX1 and IPX2 standards, the IPX1-2 Dripping Test Apparatus offers a reliable solution for evaluating the ingress protection of products against dripping water. Whether testing electronic devices, lighting fixtures, or outdoor equipment, this equipment provides a comprehensive testing environment to simulate real-world conditions.


By utilizing the IPX1-2 Dripping Test Apparatus, manufacturers can validate the effectiveness of their products' sealing against water droplets and ensure compliance with industry regulations and standards. The Water Drip Environmental Chamber IPX1 IPX2 is essential for assessing the performance of products in environments where exposure to water is a common occurrence.

In conclusion, the IPX1-2 Dripping Test Apparatus is a versatile and reliable testing equipment that offers precise control over water ingress testing according to IPX1 and IPX2 standards. With its Touch Screen display, AC 220V power supply, and 10-minute test time, this equipment provides an efficient and accurate solution for evaluating the waterproof capabilities of various products. Invest in the IPX1-2 Dripping Test Apparatus today to enhance the quality and reliability of your products in challenging environmental conditions.

#### Details:



turntable



safety shield

#### Features:

Product Name: IPX1-2 Water Drip Test Equipment  
Test Method: Drip Test  
Test Standard: IEC 60529  
Drip Volume: 1mm/min  
IP Grade: IPX12  
Test Time: 10 Minutes

#### Technical Parameters:

Control System	PLC
Power Supply	AC 220V, 50Hz
Test Time	10 Minutes
Distance Between Nozzles	20mm
IP Grade	IPX12
Drip Volume	1mm/min
Test Method	Drip Test
Test Standard	IEC 60529
Turntable Tilt	0°or 15°
Display	Touch Screen

#### Applications:


The YUEXIN IPX1-2 Drip Protection Test Device from Guangdong, China is a top-of-the-line equipment designed for conducting IPX1-2 Rainfall Test. With certifications including ISO 20653:2013, DIN 40050-9:1993, IEC60529:2013, and VW 80000:2017, this Water Immersion Test Apparatus guarantees accuracy and reliability in testing scenarios.

Whether you are in the electronics, automotive, or lighting industry, this IPX1-2 Water Drip Test Equipment is suitable for various product application occasions. Its minimum order quantity of 1 piece makes it accessible for both small-scale and large-scale operations. The price range of USD 20000-50000+ per piece offers a competitive option for businesses looking to invest in quality testing equipment. The wooden box packaging ensures safe transportation, while the delivery time of 30-45 days and payment terms of T/T provide convenience for customers worldwide. With a supply ability of 100+pcs+30, the YUEXIN IPX1-2 Drip Test Equipment is readily available to meet your testing needs. Equipped with a PLC control system, a 10-minute test time, and a user-friendly touch screen display, this equipment adheres to the IEC 60529 Test Standard, making it a reliable choice for conducting IPX1-2 tests with precision and efficiency.

#### Customization:

Product Customization Services for IPX1-2 Water Dripping Proof Tester:  
Brand Name: YUEXIN  
Place Of Origin: Guangdong, China  
Certification: ISO 20653:2013, DIN 40050-9:1993, IEC60529:2013, VW 80000:2017  
Minimum Order Quantity: 1 Piece  
Price: Usd+20000-50000+pcs  
Packaging Details: Wooden Box Package  
Delivery Time: 30-45 Days  
Payment Terms: T/T  
Supply Ability: 100+pcs+30  
Control System: PLC  
Test Standard: IEC 60529  
Turntable Tilt: 0°or 15°  
Test Time: 10 Minutes  
Distance Between Nozzles: 20mm

#### About us:



Guangzhou Yuexin Test Equipment Co., Ltd.

18122303372

mft@yxipx.com

raintestchambers.com

101, No.3, Jiangjunzi Road, Dalong Street, Panyu District, Guangzhou City China