

IPX1-2 Water Dripping Proof Tester for Testing Turntable Tilt 0° or 15°

Our Product Introduction

for more products please visit us on raintestchambers.com

Basic Information

- Brand Name: YUEXIN
- Certification: ISO 20653:2013, DIN 40050-9:1993, IEC60529:2013, VW 80000:2017
- Model Number: YX-IPX12A-1600
- Minimum Order Quantity: 1 Piece
- Price: Usd+20000-50000+pcs
- Packaging Details: Wooden Box Package
- Delivery Time: 30-45 Days
- Payment Terms: T/T
- Supply Ability: 100+pcs+30



Product Specification

- Ip Grade: IPX12
- Power Supply: AC 220V, 50Hz
- Material: Stainless Steel
- Display: Touch Screen
- Control System: PLC
- Test Standard: IEC 60529
- Distance Between Nozzles: 20mm
- Turntable Tilt: 0° or 15°
- Highlight: Stainless Steel Water Dripping Proof Tester, 15° Water Dripping Proof Tester, IPX1-2 Water Dripping Proof Tester



More Images



Product Description

IPX1 IPX2 Water Dripping Proof Tester for Testing Turntable Tilt 0° or 15° Test:

Product Description:

The IPX1-2 Water Drip Test Equipment is a top-of-the-line product designed to provide accurate and reliable testing for moisture ingress. This IPX1-2 Moisture Ingress Test System is specifically built to meet the demands of industries requiring precise waterproof testing solutions.

With a rating of IPX1-2, this Water Dripping Proof Tester ensures thorough evaluation of the product's resistance to water drips. The IPX1-2 Waterproof Drip Testing Machine operates at a drip volume of 1mm/min, guaranteeing consistent and controlled testing conditions.

Featuring a user-friendly interface, the Touch Screen display of the IPX1-2 Water Drip Test Equipment allows for easy operation and monitoring of the testing process. Users can conveniently input parameters and track the test progress with clarity and efficiency.

The Distance Between Nozzles on this innovative testing machine is set at 20mm, enabling precise and targeted water dripping onto the test subject. This ensures that the testing is conducted with accuracy and adherence to the required standards.

Constructed from high-quality Stainless Steel, the IPX1-2 Water Drip Test Equipment is durable and robust, capable of withstanding rigorous testing environments and ensuring long-term performance and reliability.

Overall, the IPX1-2 Water Drip Test Equipment, also known as the IPX1-2 Moisture Ingress Test System, is a cutting-edge solution for industries seeking a comprehensive and efficient waterproof testing apparatus. The IPX1-2 Water Dripping Proof Tester is a valuable asset for any organization looking to validate the water resistance of their products with precision and confidence.

Product detail pictures:



Accessory box



transducer

Features:

Product Name: IPX1-2 Water Drip Test Equipment
Test Method: Drip Test
Test Time: 10 Minutes
Test Standard: IEC 60529
Power Supply: AC 220V, 50Hz
Control System: PLC

Technical Parameters:

Drip Volume	1mm/min
Control System	PLC
Test Time	10 Minutes
Power Supply	AC 220V, 50Hz
Material	Stainless Steel
Distance Between Nozzles	20mm
Test Standard	IEC 60529
Turntable Tilt	0°or 15°
Display	Touch Screen
IP Grade	IPX12

Applications:

The YUEXIN IPX1-2 Water Dripping Proof Tester, also known as the IPX1-2 Rainfall Test Equipment or IPX1-2 Rain Drip Test Equipment, is a versatile piece of equipment suitable for various product application occasions and scenarios.

Originating from Guangdong, China, this tester comes with a prestigious certification including ISO 20653:2013, DIN 40050-9:1993, IEC60529:2013, and VW 80000:2017, ensuring its quality and reliability for different testing needs.

With a minimum order quantity of just 1 piece and a price range of USD 20,000 to 50,000 for each piece, the YUEXIN IPX1-2 Water Dripping Proof Tester is accessible for both small and large-scale testing requirements.

The packaging details feature a sturdy wooden box package, guaranteeing safe transportation and storage of the equipment. The delivery time ranges from 30 to 45 days, providing a reasonable lead time for customers.

When it comes to payment terms, T/T is accepted, offering flexibility to buyers. The supply ability of over 100 pieces with a 30-piece increment ensures a steady availability of the product.

Key features of this tester include a turntable tilt option of either 0° or 15°, a distance between nozzles set at 20mm, a reliable PLC control system, and a durable stainless steel construction. The drip volume is maintained at 1mm/min, allowing for accurate and consistent testing results.

About us:



Customization:

Product Customization Services for the IPX1-2 Water Drip Test Equipment:

Brand Name: YUEXIN

Place Of Origin: Guangdong, China

Certification: ISO 20653:2013, DIN 40050-9:1993, IEC60529:2013, VW 80000:2017

Minimum Order Quantity: 1 Piece

Price: Usd+20000-50000+pcs

Packaging Details: Wooden Box Package

Delivery Time: 30-45 Days

Payment Terms: T/T

Supply Ability: 100+pcs+30

Turntable Tilt: 0° or 15°

Test Standard: IEC 60529

Power Supply: AC 220V, 50Hz

Material: Stainless Steel

Test Method: Drip Test

YUEXIN® Guangzhou Yuexin Test Equipment Co., Ltd.

18122303372

mft@yxipx.com

raintestchambers.com

101, No.3, Jiangjunzi Road, Dalong Street, Panyu District, Guangzhou City China