



Stainless Steel IPX1-2 Water Drip Test Equipment with Drip Volume 1-2 Mm/min and Rotating Speed of 1-5 Rounds Per Minute

Our Product Introduction

Basic Information

- Brand Name: YUEXIN
- Certification: ISO 20653:2013, DIN 40050-9:1993, IEC60529:2013, VW 80000:2017
- Minimum Order Quantity: 1 Piece
- Price: Usd+20000-50000+pcs
- Packaging Details: Wooden Box Package
- Delivery Time: 30-45 Days
- Payment Terms: T/T
- Supply Ability: 100+pcs+30



Product Specification

- Material: Stainless Steel
- Ip Grade: IPX12
- Display: Touch Screen
- Test Method: Drip Test
- Test Time: 10 Minutes
- Drip Distance: 200 Mm
- Rotating Speed: 1-5 Rounds Per Minute
- Protection Level: IPX1-2
- Highlight: **Stainless Steel IPX1-2 water test equipment, IPX1-2 drip test equipment with adjustable speed, Water drip test equipment 1-2 mm/min**

for more products please visit us on raintestchambers.com

Product Description

Stainless Steel IPX1-2 Water Drip Test Equipment

Product Attributes

Attribute	Value
Material	Stainless Steel
IP Grade	IPX12
Display	Touch Screen
Test Method	Drip Test
Test Time	10 Minutes
Drip Distance	200 Mm
Rotating Speed	1-5 Rounds Per Minute
Protection Level	IPX1-2

Product Description

The IPX1-2 Water Drip Test Equipment employs a Drip Test method, subjecting test specimens to dripping water to assess water ingress resistance. With a standard test duration of 10 minutes, this equipment provides thorough testing capabilities.

Constructed with high-quality stainless steel, the test chamber offers exceptional durability and corrosion resistance, ensuring reliable performance through multiple testing cycles in various environments.

Key features include adjustable drip volume (1-2 mm per minute) and rotating speed (1-5 rounds per minute), allowing precise customization of test conditions to meet specific product requirements.

Key Features

- Product Name: IPX1-2 Water Drip Test Equipment
- Material: Stainless Steel construction
- IP Grade: IPX12 certified
- Features: Comprehensive Waterproof Testing
- Protection Level: IPX1-2 compliant
- Test Chamber Material: Stainless Steel

Technical Parameters

Parameter	Specification
IP Grade	IPX1-2
Features	Waterproof Test
Drip Distance	200 Mm
Rotating Speed	1-5 Rounds Per Minute
Test Chamber Material	Stainless Steel
Test Time	10 Minutes
Drip Volume	1-2 Mm/min
Protection Level	IPX1-2
Material	Stainless Steel
Test Method	Drip Test

Applications

The YUEXIN IPX1-2 Waterproof Drip Testing Machine is a versatile tool for various industries including electronics, automotive, and lighting.

Certified to ISO 20653:2013, DIN 40050-9:1993, IEC60529:2013, and VW 80000:2017 standards, it ensures reliable water resistance assessment.

Order Information: Minimum order quantity of 1 piece, with pricing ranging from USD 20,000 to 50,000+-. Delivery time is 30-45 days with T/T payment terms. Monthly production capacity exceeds 100 units.

Packaged in sturdy wooden crates for secure transportation, this equipment provides quick (10-minute) and accurate IPX1-2 protection level testing for electronic devices, automotive components, outdoor lighting, and other products requiring water resistance verification.



Guangzhou Yuexin Test Equipment Co., Ltd.



18122303372



mft@yxipx.com



raintestchambers.com

101, No.3, Jiangjunzi Road, Dalong Street, Panyu District, Guangzhou City China