

Waterproof Test IPX1-2 Rainfall Test Equipment Rotating Speed 1-5 Rounds Per Minute for Customer Requirements

Basic Information

Brand Name: YUEXIN

• Certification: ISO 20653:2013, DIN 40050-9:1993,

IEC60529:2013, VW 80000:2017

• Minimum Order Quantity: 1 Piece

Price: Usd+20000-50000+pcsPackaging Details: Wooden Box Package

Delivery Time: 30-45 Days

Payment Terms: T/T

• Supply Ability: 100+pcs+30



Product Specification

• Features: Waterproof Test

• Rotating Speed: 1-5 Rounds Per Minute

Material: Stainless Steel
Test Time: 10 Minutes
Drip Volume: 1-2 Mm/min
Protection Level: IPX1-2
Display: Touch Screen
Test Chamber Material: Stainless Steel

• Highlight: IPX1-2 waterproof test equipment,

rainfall test equipment with adjustable speed, IPX1-2 water drip tester with warranty

Waterproof Test IPX1-2 Rainfall Test Equipment Rotating Speed 1-5 Rounds Per Minute for Customer Requirements

Product Specifications

Attribute	Value
Rotating Speed	1-5 Rounds Per Minute
Material	Stainless Steel
Test Time	10 Minutes
Drip Volume	1-2 Mm/min
Protection Level	IPX1-2
Display	Touch Screen
Test Chamber Material	Stainless Steel
Features	Waterproof Test

Product Description

The IPX1-2 Water Drip Test Equipment is a high-quality testing device designed for conducting waterproof tests according to IPX1-2 standards. Also known as the IPX1-2 Rainfall Test Equipment or the IPX1-2 Drip Protection Test Device, this product is essential for evaluating the water resistance of various products.

Constructed from durable stainless steel, this testing equipment ensures long-lasting performance and reliable results. The sturdy material is ideal for withstanding the rigors of testing environments and maintaining accuracy over time.

With a test time of 10 minutes, the IPX1-2 Water Drip Test Equipment allows for efficient and effective testing procedures. The predefined duration ensures consistency in testing protocols and enables quick assessment of the product's waterproof capabilities.

Equipped with a drip volume of 1-2 mm/min, this testing device provides a controlled and precise water flow for accurate evaluations. The adjustable drip volume allows for customization based on specific testing requirements and ensures thorough testing of products under varying conditions.

Designed with a user-friendly touch screen display, the IPX1-2 Water Drip Test Equipment offers intuitive operation and convenient monitoring of test parameters. The touch screen interface provides easy access to settings, real-time data, and test results, enhancing overall usability and efficiency.

Whether testing electronic devices, outdoor equipment, or automotive components, the IPX1-2 Water Drip Test Equipment provides a reliable solution for evaluating the water ingress protection of products. The Water Drip Environmental Chamber IPX1 IPX2 is a versatile and essential tool for quality control and product development processes.

Key Features

Product Name: IPX1-2 Water Drip Test Equipment

Test Method: Drip Test
Test Time: 10 Minutes
Material: Stainless Steel

Test Chamber Material: Stainless Steel

Protection Level: IPX1-2

Technical Parameters

Features	Waterproof Test
Test Chamber Material	Stainless Steel
Rotating Speed	1-5 Rounds Per Minute

Drip Distance	200 mm
Test Method	Drip Test
Material	Stainless Steel
Protection Level	IPX1-2
Drip Volume	1-2 mm/min
IP Grade	IPX12
Display	Touch Screen

Applications

The YUEXIN IPX1-2 Rainfall Test Equipment is a versatile testing apparatus designed for various product application occasions and scenarios. With certifications including ISO 20653:2013, DIN 40050-9:1993, IEC60529:2013, and VW 80000:2017, this equipment ensures high-quality performance and reliability.

Whether you need to assess water resistance in electronic devices, outdoor equipment, automotive components, or lighting fixtures, the IPX1-2 Water Immersion Test Apparatus is an ideal choice. The minimum order quantity of 1 piece makes it accessible for small-scale

With a price range of USD 20,000 to 50,000 per piece, this testing equipment offers excellent value for its capabilities. It comes packaged in a secure wooden box package for safe transportation and storage, with a delivery time of 30-45 days after order confirmation.

Payment terms for the IPX1-2 Water Resistance Assessment Tool are flexible, accepting T/T transactions. The supply ability of 100+ pieces per month ensures that your testing needs can be met consistently and efficiently.

The test time of 10 minutes and rotating speed of 1-5 rounds per minute provide quick and accurate results. The test chamber material, made of stainless steel, guarantees durability and longevity in various testing environments.

Featuring an IP Grade of IPX12, this equipment can handle a range of water exposure levels. The touch screen display makes it userfriendly and easy to operate, enhancing the overall testing experience.





18122303372



mft@yxipx.com



raintestchambers.com

101, No.3, Jiangjunzi Road, Dalong Street, Panyu District, Guangzhou City China