



## Drip Test Method IPX12 Grade IPX1-2 Water Drip Test Equipment with Drip Volume 1-2 Mm/min and Drip Test Method

Our Product Introduction

### Basic Information

- Brand Name: YUEXIN
- Certification: ISO 20653:2013, DIN 40050-9:1993, IEC60529:2013, VW 80000:2017
- Minimum Order Quantity: 1 Piece
- Price: Usd+20000-50000+pcs
- Packaging Details: Wooden Box Package
- Delivery Time: 30-45 Days
- Payment Terms: T/T
- Supply Ability: 100+pcs+30



### Product Specification

- Test Time: 10 Minutes
- Drip Volume: 1-2 Mm/min
- Protection Level: IPX1-2
- Test Method: Drip Test
- Ip Grade: IPX12
- Rotating Speed: 1-5 Rounds Per Minute
- Material: Stainless Steel
- Drip Distance: 200 Mm
- Highlight: IPX1-2 water drip test equipment, IPX12 grade drip test machine, water drip test equipment 1-2mm/min

for more products please visit us on [raintestchambers.com](http://raintestchambers.com)

## Product Description

### Drip Test Method IPX12 Grade IPX1-2 Water Drip Test Equipment with Drip Volume 1-2 Mm/min and Drip Test Method

#### Product Specifications

Attribute	Value
Test Time	10 Minutes
Drip Volume	1-2 Mm/min
Protection Level	IPX1-2
Test Method	Drip Test
IP Grade	IPX12
Rotating Speed	1-5 Rounds Per Minute
Material	Stainless Steel
Drip Distance	200 Mm

#### Product Overview

The IPX1-2 Water Drip Test Equipment is a high-quality testing instrument designed for assessing the resistance of products to water ingress. This innovative product features a test chamber made of durable stainless steel, ensuring reliable and long-lasting performance.

With a drip volume of 1-2 mm/min, the IPX1-2 Water Drip Test Equipment is capable of simulating various water drip scenarios to evaluate the waterproof capabilities of products effectively. It complies with IP Grade IPX1-2 standards, making it suitable for conducting moisture ingress tests in a controlled environment.

#### Key Features

**Waterproof Test Capabilities:** Specifically designed to perform waterproof tests on a wide range of products

**Stainless Steel Test Chamber:** Constructed from high-quality stainless steel for robustness and corrosion resistance

**IPX1-2 Protection Level:** Offers versatile testing capabilities for assessing moisture ingress

**Touch Screen Display:** For intuitive operation and control

**Adjustable Parameters:** Rotating speed of 1-5 rounds per minute and drip distance of 200 mm

#### Technical Parameters

Parameter	Specification
Test Method	Drip Test
Protection Level	IPX1-2
Drip Volume	1-2 mm/min
Test Time	10 minutes
Material	Stainless Steel
Drip Distance	200 mm
Rotating Speed	1-5 rounds per minute

#### Applications

The YUEXIN IPX1-2 Rain Drip Test Equipment is a versatile and reliable testing system designed to assess the ingress protection capabilities of products against water drips and splashes. Certified to ISO 20653:2013, DIN 40050-9:1993, IEC60529:2013, and VW 80000:2017 standards.

Ideal for research laboratories, manufacturing facilities, and quality control departments where product water resistance must be verified.

## Ordering Information

**Minimum Order Quantity:** 1 piece

**Price Range:** USD 20,000 - 50,000+ per piece

**Packaging:** Wooden box

**Delivery Time:** 30-45 days

**Payment Terms:** T/T

**Supply Capacity:** 100+ pieces monthly



Guangzhou Yuexin Test Equipment Co., Ltd.



18122303372



mft@yxipx.com



raintestchambers.com

101, No.3, Jiangjunzi Road, Dalong Street, Panyu District, Guangzhou City China